



## CADENAS GRADO 100

CADENAS DE  
GRADO 100

The image shows three vertical chains of different hook types against a blue background. The chains are made of blue links. The hooks are yellow. The leftmost hook is a standard shackle. The middle hook is a more complex, multi-pointed hook. The rightmost hook is a large, heavy-duty hook with a thick shank.

AUMENTA UN 25%  
LA CAPACIDAD DE ELEVACIÓN  
DISMINUYE UN 30%  
EL PESO



## CADENA G100

Código	Ø mm	C.M.U. kg	P	B1 min.	Peso kg/m
100BZC8182X06	6	1.400	18	7,8	0,90
100BZC8182X08	8	2.500	24	10,4	1,60
100BZC8182X10	10	4.000	30	13,0	2,50
100BZC8182X13	13	6.700	39	16,9	4,20
100BZC8182X16	16	10.000	48	20,8	6,20
100BZC8182X18	18	12.500	54	23,4	8,10
100BZC8182X20	20	16.000	60	26,0	10,00
100BZC8182X22	22	19.000	66	28,6	11,91
100BZC8182X26	26	26.500	78	33,8	16,32
100BZC8182X32	32	40.000	96	43,0	24,10

1 ramal ahorcado

2 ramales


3 y 4 ramales

Sin-fin ahorcado

Cesto




Ø mm	1 ramal ahorcado		2 ramales		3 y 4 ramales		Sin-fin ahorcado	Cesto	
	1 kg	0,8 kg	0° < β ≤ 45° kg	45° < β ≤ 60° kg	0° < β ≤ 45° kg	45° < β ≤ 60° kg	1,6 kg	0° < β ≤ 45° kg	0° < β ≤ 45° kg
6	1.400	1.120	2.000	1.400	3.000	2.120	2.240	2.000	2.380
8	2.500	2.000	3.550	2.500	5.300	3.750	4.000	3.500	4.250
10	4.000	3.150	5.600	4.000	8.000	6.000	6.300	5.600	6.800
13	6.700	5.300	9.500	6.700	14.000	10.000	10.600	9.500	11.390
16	10.000	8.000	14.000	10.000	21.200	15.000	16.000	14.000	17.000
20	16.000	12.800	22.400	16.000	33.600	24.000	25.600	22.400	27.200
22	19.000	15.000	26.500	19.000	40.000	28.000	30.000	26.500	32.300
26	26.500	21.200	37.100	26.500	55.650	39.750	42.400	37.100	45.050
32	40.000	25.200	56.000	40.000	85.000	60.000	63.000	56.000	68.000



## ANILLA BMX OVAL SIMPLE G-100


Código	C.M.U. kg	D mm	P mm	L mm	Peso kg	1 Ramal Ø	2 Ramales Ø
100BEZCMX0706	2.300	13	110	60	0,34	7	6
100BEZCMX0807	3.500	16	110	60	0,53	8	7
100BEZCMX1008	5.000	18	135	75	0,86	10	8
100BEZCMX1310	7.600	23	160	90	1,60	13	10
100BEZCMX1613	10.000	27	180	100	2,46	16	13
100BEZCMX1816	14.000	33	200	110	4,14	18	16
100BEZCMX2220	25.100	36	260	140	6,22	22	20
100BEZCMX2622	30.800	45	340	180	12,82	26	22
100BEZCMX3226	40.000	50	350	190	16,22	32	26



**ANILLA BMCX OVAL TRIPLE G-100**


Código	C.M.U. kg	D mm	P mm	L mm	D1 mm	P1 mm	L1 mm	Peso kg
100TBEZCMCX67	3.000	19	135	75	13,0	54	25	1,30
100TBEZCMCX08	5.300	23	160	90	16,5	70	34	2,33
100TBEZCMCX10	8.000	27	180	100	19,0	85	40	3,70
100TBEZCMCX13	14.000	33	200	110	23,0	115	50	6,50
100TBEZCMCX16	21.200	36	260	140	27,0	140	65	10,10
100TBEZCMCX20	33.600	50	350	190	33,0	180	90	22,65
100TBEZCMCX22	39.900	50	350	190	36,0	170	100	25,19

CADENAS DE GRADO 100




**ANILLAS ESPECIALES BA-16**

Código	C.M.U. kg	D mm	P mm	L mm	Peso kg	1 Ramal Ø	2 Ramales Ø
100TSA1606BEZ	3.000	22	260	140	3	8	6
100TSA1608BEZ	5.300	26	260	140	4	10	8
100TSA1610BEZ	8.400	32	245	140	6	13	10
100TSA1613BEZ	14.000	36	250	140	7	16	13




**ANILLAS ESPECIALES BA-25**

Código	C.M.U. kg	D mm	P mm	L mm	Peso kg	1 Ramal Ø	2 Ramales Ø
100TSA2508BEZ	5.300	25	340	180	3,7	10	8
100TSA2510BEZ	8.400	32	340	180	4,7	13	10
100TSA2513BEZ	14.000	40	340	180	7,0	16	13
100TSA2516BEZ	21.200	40	340	180	8,9	18	16




## GANCHO CON LENGUETA BAX

Código	Ø mm	C.M.U. kg	E mm	D mm	H mm	L mm	Ø mm	Peso kg
100BEZCAX06SF	6	1.400	18,5	10,0	21,0	111,0	20,5	0,32
100BEZCAX08SF	8	2.500	25,0	11,0	27,5	137,5	25,0	0,60
100BEZCAX10SF	10	4.000	28,0	16,0	33,0	171,5	34,0	1,20
100BEZCAX13SF	13	6.700	38,0	19,0	43,5	219,0	43,0	2,20
100BEZCAX16SF	16	10.000	44,0	24,5	55,0	260,0	50,0	3,50
100BEZCAX20SF	20	16.000	52,0	27,0	56,0	298,0	55,0	7,15
100BEZCAX22SF	22	19.000	66,0	29,0	62,0	330,0	60,0	11,50
100BEZCAX26SF	26	26.500	73,0	35,0	75,0	367,0	70,0	14,00
100BEZCAX32SF	32	39.300	87,0	39,0	89,0	427,0	66,0	17,50



## GANCHO CON LENGUETA BBX

Código	Ø mm	C.M.U. kg	A mm	B mm	E mm	H mm	M mm	L mm	Peso kg
100BEZCBX06SF	6	1.400	7,5	32	18,5	21,0	68,5	190,0	0,33
100BEZCBX08SF	8	2.500	9,5	37	25,0	27,5	88,0	134,0	0,70
100BEZCBX10SF	10	4.000	12,0	48	28,0	33,5	105,5	161,5	1,30
100BEZCBX13SF	13	6.700	15,0	59	38,0	42,0	134,0	203,0	2,30
100BEZCBX16SF	16	10.000	17,5	70	44,0	50,0	160,5	248,0	3,60
100BEZCBX20SF	20	16.000	25,0	85	60,0	60,0	190,5	297,0	7,30
100BEZCBX22SF	22	19.000	27,0	100	77,0	70,0	214,5	326,0	12,10



## GANCHO DE SEGURIDAD BROX

Código	Ø mm	C.M.U. kg	Ø mm	D mm	E mm	H mm	R mm	M mm	L mm	Peso kg
100SBEZCROX06	6	1.400	21,0	43,0	28,0	20,0	110,0	70,0	141,0	0,5
100SBEZCROX08	8	2.500	27,0	51,0	35,5	26,0	137,0	90,0	175,0	0,9
100SBEZCROX10	10	4.000	34,5	64,5	45,0	30,0	169,0	108,0	212,5	1,5
100SBEZCROX13	13	6.700	40,0	80,0	53,5	40,5	209,0	138,5	270,0	2,7
100SBEZCROX16	16	10.000	50,0	104,0	62,0	50,5	254,0	170,5	331,0	5,7
100SBEZCROX20	20	16.000	60,0	120,0	76,5	62,0	277,0	192,5	369,0	7,9
100SBEZCROX22	22	19.000	70,0	134,0	80,0	66,0	319,5	205,0	417,0	11,2



**GANCHO DE SEGURIDAD BRFX**


Código	Ø mm	C.M.U. kg	A mm	B mm	E mm	H mm	R mm	M mm	L mm	Peso kg
100SBEZCRFX06	6	1.400	7,5	32	28,0	20,0	96,0	70,0	131,0	0,5
100SBEZCRFX08	8	2.500	9,5	36	35,5	26,0	123,0	90,0	166,0	0,9
100SBEZCRFX10	10	4.000	12,0	46	45,0	30,0	144,0	109,0	196,5	1,6
100SBEZCRFX13	13	6.700	15,0	59	53,5	40,5	182,0	138,5	251,0	2,9
100SBEZCRFX16	16	10.000	17,5	70	62,0	50,5	217,0	170,5	303,0	5,8
100SBEZCRFX20	20	16.000	25,0	85	76,5	62,0	235,0	192,5	337,5	8,6
100SBEZCRFX22	22	19.000	25,5	98	80,0	66,0	276,5	205,0	391,0	12,1

CADENAS DE GRADO 100




**GANCHO GIRATORIO DE SEGURIDAD BRGX**

Código	Ø mm	C.M.U. kg	B mm	C mm	D mm	E mm	H mm	M mm	L mm	Peso kg
100GBEZCRGX06	6	1.400	32,5	23	11,5	28,0	20,0	70,0	184	0,6
100GBEZCRGX08	8	2.500	36,0	28	13,0	35,5	26,0	90,0	229	1,1
100GBEZCRGX10	10	4.000	42,0	35	15,5	45,0	30,0	109,0	269	2,0
100GBEZCRGX13	13	6.700	50,0	40	17,0	53,5	40,5	138,5	330	4,0
100GBEZCRGX16	16	10.000	61,0	56	21,5	62,0	50,5	170,5	413	6,8
100GBEZCRGX20	20	16.000	72,0	62	26,0	76,5	62,0	192,5	463	12,5
100GBEZCRGX22	22	19.000	97,0	94	33,0	80,0	66,0	205,0	572	17,1




### MALLA DE UNIÓN BLX G-100

Código	Ø mm	C.M.U. kg	H mm	A mm	K mm	L mm	Peso kg
100MUBEZCLX06	6	1.400	7,6	14,0	44,5	60,0	0,10
100MUBEZCLX08	8	2.500	10,0	18,5	61,5	84,5	0,22
100MUBEZCLX10	10	4.000	12,6	23,0	72,0	97,2	0,45
100MUBEZCLX13	13	6.700	16,8	27,5	89,0	127,0	1,15
100MUBEZCLX16	16	10.000	21,0	33,5	103,0	145,0	1,75
100MUBEZCLX20	20	16.000	24,0	42,5	116,0	175,0	2,70
100MUBEZCLX22	22	19.000	27,0	48,0	135,0	193,0	4,02
100MUBEZCLX26	26	26.500	32,0	61,0	164,0	228,0	5,10
100MUBEZCLX32	32	39.300	40,0	80,0	194,0	274,0	8,50




### ACORTADOR BXX

Código	Ø mm	C.M.U. kg	A mm	B mm	C mm	D mm	E mm	F mm	G mm	PxL mm	Peso kg
100GABEZCXX06	6	1.400	8,0	8,0	10,0	8,0	19,0	45,0	23	7,5x17,5	0,21
100GABEZCXX07	7	1.900	9,5	9,5	10,0	9,5	23,5	56,0	29	9x22,5	0,48
100GABEZCXX08	8	2.500	9,5	9,5	10,0	9,5	23,5	56,0	29	10x22,5	0,48
100GABEZCXX10	10	4.000	12,0	12,0	14,5	12,0	32,5	78,0	36	13x31,5	1,12
100GABEZCXX13	13	6.700	15,5	15,5	18,0	15,5	44,0	90,0	35	16x42,0	1,83
100GABEZCXX16	16	10.000	19,0	21,0	21,0	19,0	50,0	106,0	38	21x51,5	2,83
100GABEZCXX22	22	19.000	25,5	25,5	39,0	26,0	57,5	195,5	35	39x60,0	8,00



## ACORTADOR BDX

Código sin seguridad	Ø mm	C.M.U. kg	E mm	B mm	D mm	M mm	L mm	Peso kg
100GABEZCDX06	6	1.400	8,0	14,5	30,5	43,5	71,0	0,20
100GABEZCDX08	8	2.500	10,8	18,0	37,0	53,0	91,5	0,28
100GABEZCDX10	10	4.000	13,5	22,5	48,5	72,0	127,5	0,72
100GABEZCDX13	13	6.700	16,5	28,0	59,0	96,0	163,0	1,60
100GABEZCDX16	16	10.000	19,2	36,0	74,0	112,5	183,0	2,45
100GABEZCDX20	20	16.000	24,0	43,5	89,5	134,0	227,0	4,72
100GABEZCDX22	22	19.000	27,0	48,5	100,5	160,5	260,5	8,20



## ACORTADOR BFX

Código sin seguridad	Ø mm	C.M.U. kg	A mm	B mm	E mm	M mm	L mm	Peso kg
100GABEZCFX06	6	1.400	7,5	32,0	8,0	43,5	75,0	0,22
100GABEZCFX08	8	2.500	9,5	36,0	10,8	53,0	91,5	0,34
100GABEZCFX10	10	4.000	12,0	46,0	13,5	72,0	126,0	0,82
100GABEZCFX13	13	6.700	15,0	59,0	16,5	96,0	163,5	1,75
100GABEZCFX16	16	10.000	17,5	70,0	19,2	112,5	183,5	2,88
100GABEZCFX20	20	16.000	24,0	85,0	24,0	134,0	224,0	4,84
100GABEZCFX22	22	19.000	27,0	100,0	27,0	160,5	262,0	8,30






### PESTILLO BKSX PARA GANCHOS BAX Y BBX




Código	Ø mm
100PBEZCKSX06	6
100PBEZCKSX08	7-8
100PBEZCKSX10	10
100PBEZCKSX13	13
100PBEZCKSX16	16
100PBEZCKSX20	20
100PBEZCKSX22	22

### PESTILLO BKSXLX PARA GANCHOS BROX Y BRFX




Código	Ø mm
100PBZCKSLX06	6
100PBZCKSLX08	7-8
100PBZCKSLX10	10
100PBZCKSLX13	13
100PBZCKSLX16	16

### PESTILLO BKX PARA ACORTADOR BXX



Código	Ø mm
100PTBEZCKX06	6
100PTBEZCKX07	7
100PTBEZCKX08	8
100PTBEZCKX10	10
100PTBEZCKX13	13
100PTBEZCKX16	16

### BULÓN Y CEPO BLKK PARA MALLA UNIÓN BLX



Código	Ø mm
100BBEZCLKX06	6
100BBEZCLKX07	7
100BBEZCLKX08	8
100BBEZCLKX10	10
100BBEZCLKX13	13
100BBEZCLKX16	16
100BBEZCLKX20	20
100BBEZCLKX22	22





Equipo móvil para cortar cadena de forma rápida y segura.

CADENAS DE GRADO 100



Equipo de cadena con chapa/galga de identificación y control, pudiéndose añadir al mismo la identificación BZTAG.

